

Table of Contents

Foreword	9
1. Introduction	13
1.1 The general Constraint Satisfaction Problem (CSP).....	13
1.2 Paradigms of resolution.....	15
1.3 Parameters and instances of a CSP; minimal instances; classification	19
1.4 The Basic Resolution Theory of a CSP.....	21
1.5 The roles of Logic, AI, Sudoku and other examples.....	24
1.6 Notations	26
PART ONE: LOGICAL FOUNDATIONS	29
2. The role of modelling, illustrated with Sudoku	31
2.1 Symmetries, analogies and supersymmetries.....	31
2.2 Introducing the four 2D spaces: rc, rn, cn and bn	36
2.3 CSP variables associated with the rc, rn, cn and bn spaces	42
2.4 Introducing the 3D nrc-space	43
3. The logical formalisation of a CSP	45
3.1 A quick introduction to Multi-Sorted First Order logic (MS-FOL).....	45
3.2 The formalisation of a CSP in MS-FOL: T(CSP).....	52
3.3 Remarks on the existence and uniqueness of a solution	57
3.4 Operationalizing the axioms of a CSP Theory.....	58
3.5 Example: Sudoku Theory, T(Sudoku) or ST	59
3.6 Formalising the Sudoku symmetries	64
3.7 Formal relationship between Sudoku and Latin Squares	67
4. CSP Resolution Theories	69
4.1 CSP Theory vs CSP Resolution Theories; resolution rules	70
4.2 The logical nature of CSP Resolution Theories	71
4.3 The Basic Resolution Theory of a CSP: BRT(CSP)	80
4.4 Formalising the general concept of a Resolution Theory of a CSP	82

4.5 The confluence property of resolution theories.....	83
4.6 Example: the Basic Sudoku Resolution Theory (BSRT).....	85
4.7 Sudoku symmetries and the three fundamental meta-theorems.....	88

PART TWO: GENERAL CHAIN RULES 93

5. Bivalue chains, whips and braids..... 95

5.1 Bivalue chains	96
5.2 z-chains, t-whips and zt-whips (or whips).....	97
5.3 Braids.....	100
5.4 Whip and braid resolution theories; the W and B ratings	102
5.5 Confluence of the B_n resolution theories; resolution strategies	104
5.6 The “T&E vs braids” theorem.....	107
5.7 The objective properties of chains and braids	111
5.8 About loops in bivalue- and z- chains, in whips and in braids.....	114
5.9 Forcing whips, a bad idea?	117
5.10 Exceptional examples.....	118
5.11 Whips in n-Queens and Latin Square; definition of SudoQueens	131

6. Unbiased statistics and whip classification results..... 139

6.1 Classical top-down and bottom-up generators	141
6.2 A controlled-bias generator	142
6.3 The real distribution of clues and the number of minimal puzzles	147
6.4 The W-rating distribution as a function of the generator	149
6.5 Stability of the classification results	150
6.6 The W rating is a good approximation of the B rating.....	151

7. g-labels, g-candidates, g-whips and g-braids 153

7.1 g-labels, g-links, g-candidates and whips[1].....	153
7.2 g-bivalue chains, g-whips and g-braids.....	157
7.3 g-whip and g-braid resolution theories; the gW and gB ratings.....	160
7.4 Comparison of the ratings based on whips, braids, g-whips and g-braids ..	162
7.5 The confluence property of the gB_n resolution theories.....	164
7.6 The “gT&E vs g-braids” theorem	168
7.7 Exceptional examples.....	169
7.8 g-labels and g-whips in n-Queens and in SudoQueens	179

PART THREE: BEYOND G-WHIPS AND G-BRAIDS 183

8. Subset Rules in a general CSP 185

8.1 Transversality, S_p -labels and S_p -links.....	186
---	-----

8.2 Pairs	188
8.3 Triplets	191
8.4 Quads.....	194
8.5 Relations between Naked, Hidden and Super Hidden Subsets in Sudoku.	200
8.6 Subset resolution theories in a general CSP; confluence	202
8.7 Whip subsumption results for Subset rules	204
8.8 Subsumption and non-subsumption examples from Sudoku	206
8.9 Subsets in n-Queens	216
9. Reversible Subset Chains, S_p-whips and S_p-braids	219
9.1 S_p -links; S_p -subsets modulo other Subsets; S_p -regular sequences.....	220
9.2 Reversible S_p -subset Chains (RS_pC)	222
9.3 S_p -whips and S_p -braids	229
9.4 The confluence property of the S_pB_n resolution theories	234
9.5 The “T&E(S_p) vs S_p -braids” theorem, $1 \leq p \leq \infty$	239
9.6 The scope of S_p -braids (in Sudoku).....	240
9.7 Examples	242
10. g-Subsets, Reversible g-Subset Chains, gS_p-whips and gS_p-braids	245
10.1 g-Subsets	246
10.2 Reversible gS_p Chains, gS_p -whips and gS_p -braids	255
10.3 A detailed example.....	264
11. W_p-whips and B_p-braids	269
11.1 W_p -labels and B_p -labels; W_p -whips and B_p -braids.....	269
11.2 The confluence property of the B_pB_n resolution theories.....	278
11.3 The “T&E(B_p) vs B_p -braids” and “T&E(2) vs B-braids” theorems	284
11.4 Bi-whips/bi-braids and another view of W-whips/B-braids. . .	288
11.5 Depth of T&E and backdoor size	291
11.6 The scope of B_p -braids	293
12. Final remarks	295
12.1 About our approach of the finite CSP	295
12.2 About the Sudoku CSP, beyond <i>HLS2</i> [for the readers of <i>HLS</i>].....	304
References	307